


Braytron

Tehnički list proizvoda

Broj modela BT64-01281

Opis BRY-SOLAR PL-30W-3IN1-RMT-IP65-SOLAR FLOODLIGHT






REMOTE



SENSOR



SOLAR



Luminare is intended to use in outdoor applications

BRAYTRON SRL

Bulavardul iuliu maniu, Nr.616, Sector 6, 061129, Bucuresti-ROMANIA

info@braytron.com

www.braytron.com

Stranica 1-3

Opšte karakteristike

Broj modela	:	BT64-01281
Grupa proizvoda	:	Solarna rasvjeta
Podgrupa proizvoda	:	Solar Floodlight
Zidna	:	Solar Floodlight
Boja kućišta	:	Crna
Oblik svjetiljke	:	N/A
Dimabilno	:	Dimabilno
Izvor svjetla	:	LED
Garancija	:	2 years(1 year for battery)
Klasa	:	Klasa 3
IP	:	IP65
IK	:	IK06

Električne karakteristike

Lifetime	:	20000 h (For LED)
Voltaža	:	Snaga solarnih panela
Materijal	:	ABS
Radna temperatura	:	-20 C+40 C
Radno vrijeme	:	4-12 h
Frekvencija	:	50-60 Hz
Capacity Watt	:	30 w

Dimensions & Weight

Dužina proizvoda	:	185 mm
Širina proizvoda	:	47 mm
Visina proizvoda	:	230 mm
Težina	:	890 gr

Product Characteristics

Snaga	:	100 w
Boja svjetla	:	3U1
Luminaža	:	1200 lm
Indeks reprodukcije boja	:	>80
Ugao svjetlosnog snopa	:	90° Degrees
Kategorija boje	:	3U1

Informacije o autonomiji

Autonomija	:	LiFePO4
Kapacitet baterije	:	3.2V 10A
Vrijeme punjenja	:	8 h-9 h at 50.000 lux

Informacije o senzoru

Vrsta senzora	:	Mikrotalasi
Udaljenost detekcije	:	1m-10m
Ugao detekcije	:	120° Degrees
Vremenska odgoda	:	30sec
Lux	:	15 lux

Solarne informacije

Solarni panel : 5.5V, 10W

Informacije o pakovanju

Neto težina : 8,90 kgs
Bruto težina : 10,30 kgs
KOM/PAK : 10 pcs
Dužina : 425 mm
Širina : 350 mm
Visina : 220 mm
EAN (Evropski broj artikla) : 5949097739217